

Guideline

I-11

CLAP

FORM N°X190

Version : 1

Directive 2014/68/EU

Adopted by WGP : 08/01/2016

Adopted by CLAP : 08/01/2016

Directive References: Annex I, 4.2b

Subject: Miscellaneous – Particular appraisal for materials recognized as being safe to use

Question: When performing a particular appraisal for materials recognized as being safe to use before 29.11.1999, shall the existing data for these materials be taken into account when assessing the suitability of this material?

Answer: Yes, and if this data as referred to in Guideline I-02 (CLAP X181) is sufficient for the proof of conformity, in principle no additional testing should be performed .

The manufacturer (and the Notified Body) shall take into account the material properties of the actual deliveries when claiming the history of safe use for a particular material, if its specification has significantly wider limits.

Reasons:

1. Even though the PED does not specify the content of a particular material appraisal, the concept of safe history applies similarly as for EAM.

2. It would be incorrect to assume that every batch supplied to the wider specification has equally good properties.

For example, in many steel specifications, sulphur may be permitted up to 0,030%, but modern steelmaking techniques produce lower sulphur levels consistently less than 0,010%. The good impact toughness associated with the low sulphur content will not be obtained if another batch of steel is supplied at or near 0,030% sulphur.

Note: Where such commonly used materials are not covered by harmonised standards or EAM, particular material appraisal is the only other route that remains.